

Secure Coding. Practical steps to defend your web apps.

Copyright SANS Institute
Author Retains Full Rights

This paper is from the SANS Software Security site. Reposting is not permitted without express written permission.

Interested in learning more?

Check out the list of upcoming events offering
"Defending Web Applications Security Essentials (DEV522)"
at <http://software-security.sans.org><http://software-security.sans.org/events/>

Overview and Tutorial on Artificial Intelligence Systems

Jim Hurst

Overview and Tutorial on Artificial Intelligence Systems

Introduction

Humans have a strong fascination with the idea of machines that can think. It is a recurring theme in fiction and the movies, from *Hal* to the *Terminator* to *The Matrix*. Whether a man-made artifact can think is still the subject of debate by philosophers. This paper explores different aspects of term artificial intelligence (or AI) and provides an overview of how this technology is being used today. Defining artificial intelligence is somewhat controversial, because there is no single definition of intelligence. Stanford scholar John McCarthy states that artificial intelligence is “the science and engineering of making intelligent machines, especially intelligent computer programs.”

The artificial intelligence community can be roughly divided into two schools of thought: conventional AI and computational intelligence. Conventional AI is based on machine learning, which is the development of the techniques and algorithms that allow machines to “learn” or at least simulate learning. Machine learning attempts to use computer programs to generate patterns or rules from large data sets. This problem is similar to the data-mining problem (and data mining is one area where AI has found commercial success). Machine learning makes heavy use of symbolic formalism and logic, as well as statistics. Key areas in conventional AI include case-based reasoning, behavior-based AI, Bayesian networks, and expert systems.

Computational intelligence, in contrast, relies more on clever algorithms (heuristics) and computation and less on formal logical systems. Computational intelligence is sometimes referred to as *soft computing*. It often involves iterative methods using computation to generate intelligent agents. Whereas conventional AI is considered to be a top-down approach, with the structure of solutions imposed from above, computational intelligence is more bottom-up, where solutions emerge from an unstructured initial state. Two areas of computational intelligence will be discussed further: neural networks and fuzzy logic.

Also, hybrid intelligent systems attempt to combine the two approaches. Some proponents claim that this is appropriate, because the human mind uses multiple techniques to develop and verify results, and hybrid systems show some promise.

Weak AI Versus Strong AI

Another distinction within the artificial intelligence community is weak AI versus strong AI. Weak AI refers to using software to solve particular problems or reasoning tasks that do not encompass fully human intelligence. Strong AI implies creating artificial systems that are fully self-aware that can reason and independently solve problems. Current research is nowhere near creating strong AI, and a lively debate is ongoing as to whether this is even possible.

Neats Versus Scruffies

Another division in the artificial intelligence community is over the best way to design an intelligent system. The Neats maintain that the solution should be elegant, obvious, and based on formal logic. The Scruffies hold that intelligence is too messy and complicated to be solved under the limitations the Neats propose. Interestingly, some good results have come from hybrid approaches, such as putting ad hoc rules (Scruffy style) into a formal (Neat) system. Not surprisingly, the Neats are often associated with conventional artificial intelligence, whereas the Scruffies are usually associated with computational intelligence.

Expert Systems

Conventional AI has achieved success in several areas. Expert systems, or knowledge-based systems, attempt to capture the domain expertise of one or more humans and apply that knowledge. Most commonly, this is done by developing a set of rules that analyze information about a problem and recommend a course of action. Expert systems demonstrate behavior that appears to show reasoning.

Expert systems work best in organizations with high levels of know-how and expertise that are difficult to transfer among staff. The experts explain how they solve problems that are incorporated into the system. The simpler expert systems are all based on binary (true/false) logic, but more sophisticated systems can include methods such as fuzzy logic.

At the heart of an expert system is an inference engine, a program that attempts to create answers from the knowledge base of rules provided by the expert. Knowledge engineers convert a human expert's "rules-of-thumb" into inference rules, which are if-then statements that provide an action or a suggestion if a particular statement is true. The inference engine then uses these inference rules to reason out a solution. Forward chaining starts with the available information and tries to use the inference rules to generate more data until a solution is reached. Backward-chaining starts with a list of solutions and works backward to see if data exists that will allow it to conclude that any of the solutions are true. Expert systems are used in many fields, including finance, medicine, and automated manufacturing. One expert system that many people may be familiar with is the Microsoft Windows troubleshooting software, accessed by through the help section of the Windows taskbar. This system provides diagnostic advice and suggestions for common user problems.

Case-Based Reasoning

Another approach from conventional AI that has achieved some commercial success is case-based reasoning, or CBR, which attempts to solve new problems based on past solutions of similar problems. Proponents argue that case-based reasoning is a critical element in human problem solving. As formalized in computer reasoning, CBR is composed of four steps: retrieve, reuse, revise, retain. First, access the available information about the problem

(Retrieve). Second, try to extend a previous solution to the current problem (Reuse). Next, test the refactored solution and revise it if necessary (Revise). Finally, store the new experience into the knowledge base (Retain).

Behavior-Based AI

Behavior-based AI (BBAI) is the final methodology of conventional AI considered. Behavior-based artificial intelligence attempts to decompose intelligence into a set of distinct, semi-autonomous modules. BBAI is popular in the robotics field and is the basis for many Robocup robotic soccer teams, as well as the Sony Aibo.

A BBAI system is composed of numerous simple behavior modules, which are organized into layers. Each layer represents a particular goal of the system, and the layers are organized hierarchically. A low layer might have a goal of “avoid falling,” whereas the layer above it might be “move forward.” The move forward layer might be one component of a larger “walk to the store” goal. The layers can access sensor data and send commands to the robot’s motors. The lower layers tend to function as reflexes, whereas the higher layers control more complex goal-directed behavior.

Bayesian Networks

Bayesian networks are another tool in the conventional AI approach. They are heavily based upon probability theory. The problem domain is represented as a network.

This network is a directed acyclic graphic where the nodes represent variables, and the arcs represent conditional dependencies between the variables. Graphs are easy to work with, so Bayesian networks can be used to produce models that are simple for humans to understand, as well as effective algorithms for inference and learning. Bayesian networks have been successfully applied to numerous areas, including medicine, decision support systems, and text analysis, including optical character recognition.

Neural Networks

There is no widespread agreement yet on exactly what Computational intelligence (CI) is, but it is agreed that it includes neural networks and fuzzy computing. A neural network consists of many nodes that cooperate to produce an output. The system is trained by supplying input on the solution of known problems, which changes the weighting between the nodes. After training has tuned the parameters between the connections, neural networks can solve difficult problems in machine vision and other areas.

Also known as neurocomputing, or parallel distributed processing, neural networks loosely model structures in the human brain. Neural network outputs rely on the cooperation of individual nodes. Data processing in neural networks is typically done in parallel, rather than sequentially as is the standard for nearly all

modern computers. Neural nets can generalize from their training, and solve new problems, so they are self-adaptive systems. Neural networks have been criticized as “bad science” because it is difficult to explain exactly how they work. Nonetheless, neural networks have been successfully applied in areas as diverse as credit card fraud detection, machine vision, chess, and vehicle control.

Fuzzy Logic

Fuzzy logic, fuzzy systems, and fuzzy set theory are all ways to refer to reasoning that is based upon approximate values, rather than precise quantities. Modern computers are built upon binary, or Boolean, logic that is based on ones and zeros. The bit is zero or one, yes or no, with no middle ground. Fuzzy systems provide for a broader range of possible values.

Consider the question, “Are the books in the study?” Well, yes, there are books in the study. There are also books in the office, books in the bedroom, and a pile of books in the doorway to the study. Fuzzy logic provides for an answer of 72%, meaning that 72% of the books are in the study. Fuzzy sets are based on vague definitions of sets. They are not random. Fuzzy logic is not imprecise; rather, it is a formal mathematical technique for handling imprecise data.

Like neural networks, fuzzy logic is subject to controversy and criticism. But systems based on fuzzy logic have an excellent track record at certain types of problems. Antilock braking systems are based on fuzzy logic, and many appliances incorporate fuzzy logic. The artificial intelligence systems used in nonplayer characters of modern video games often used fuzzy logic.

Summary

This paper has provided an overview of artificial intelligence and its applications. Artificial intelligence is not a single thing; it is many things. A distinction is often made between conventional artificial intelligence, which is based upon machine learning, and computational intelligence, which applies iteration and computation to generate intelligent agents. Conventional AI relies on symbolic logic and formalism and is considered a top-down approach. Computational intelligence, sometimes known as soft computing, uses training based on empirical data and is more of a bottom-up approach.

Four areas of conventional AI were examined. Expert systems use rule-based inference engines to simulate reasoning. Case-based reasoning tries to apply previous experience to the current problem. Behavior-based AI uses sets of semi-autonomous agents to solve problems. Bayesian networks model knowledge by using probabilities and graph theory to draw inferences. Two types of computational intelligence systems were examined. Neural networks consist of networks of cooperating nodes that are trained by a series of inputs. Fuzzy logic is a system of logic that allows for imprecise information and solves problems with incomplete information.

All these techniques have successful applications in use today. Artificial intelligence is improving our lives in numerous ways, even when there is no widespread agreement on exactly what artificial intelligence is.

References

Basic Questions (about Artificial Intelligence). John McCarthy.

<http://www-formal.stanford.edu/jmc/whatisai/node1.html>.

Welcome to AI Topics. American Association for Artificial Intelligence.

<http://www.aaai.org/AITopics/html/welcome.html>.

What Is Computational Intelligence? Computational Intelligence Group,
Department of Computer Science, Vrije University. <http://www.cs.vu.nl/ci/>.

Upcoming SANS App Sec Training

Click Here to
{Register NOW!}

| | | | |
|--------------------------------------------------|---------------------------------|-----------------------------|----------------|
| SANS Virginia Beach 2018 | Virginia Beach, VA | Aug 20, 2018 - Aug 31, 2018 | Live Event |
| Community SANS Nashville DEV540 | Nashville, TN | Aug 27, 2018 - Aug 31, 2018 | Community SANS |
| SANS Amsterdam September 2018 | Amsterdam, Netherlands | Sep 03, 2018 - Sep 08, 2018 | Live Event |
| Community SANS New York DEV522 | New York, NY | Sep 17, 2018 - Sep 22, 2018 | Community SANS |
| SANS London September 2018 | London, United Kingdom | Sep 17, 2018 - Sep 22, 2018 | Live Event |
| Community SANS Toronto DEV540 @ Security Compass | Toronto, ON | Sep 17, 2018 - Sep 21, 2018 | Community SANS |
| SANS Network Security 2018 | Las Vegas, NV | Sep 23, 2018 - Sep 30, 2018 | Live Event |
| Community SANS Nashville DEV540 | Nashville, TN | Oct 01, 2018 - Oct 05, 2018 | Community SANS |
| Mentor Session - DEV540 | Toronto, ON | Oct 04, 2018 - Nov 15, 2018 | Mentor |
| SANS Brussels October 2018 | Brussels, Belgium | Oct 08, 2018 - Oct 13, 2018 | Live Event |
| SANS October Singapore 2018 | Singapore, Singapore | Oct 15, 2018 - Oct 27, 2018 | Live Event |
| Secure DevOps Summit & Training 2018 | Denver, CO | Oct 22, 2018 - Oct 29, 2018 | Live Event |
| SANS Gulf Region 2018 | Dubai, United Arab Emirates | Nov 03, 2018 - Nov 15, 2018 | Live Event |
| SANS London November 2018 | London, United Kingdom | Nov 05, 2018 - Nov 10, 2018 | Live Event |
| SANS Santa Monica 2018 | Santa Monica, CA | Dec 03, 2018 - Dec 08, 2018 | Live Event |
| Community SANS New York DEV540 | New York, NY | Dec 10, 2018 - Dec 14, 2018 | Community SANS |
| SANS Cyber Defense Initiative 2018 | Washington, DC | Dec 11, 2018 - Dec 18, 2018 | Live Event |
| Community SANS Denver DEV540 | Denver, CO | Jan 14, 2019 - Jan 18, 2019 | Community SANS |
| SANS Las Vegas 2019 | Las Vegas, NV | Jan 28, 2019 - Feb 02, 2019 | Live Event |
| SANS Security East 2019 | New Orleans, LA | Feb 02, 2019 - Feb 09, 2019 | Live Event |
| SANS Anaheim 2019 | Anaheim, CA | Feb 11, 2019 - Feb 16, 2019 | Live Event |
| SANS Riyadh February 2019 | Riyadh, Kingdom Of Saudi Arabia | Feb 23, 2019 - Feb 28, 2019 | Live Event |
| SANS Baltimore Spring 2019 | Baltimore, MD | Mar 02, 2019 - Mar 09, 2019 | Live Event |
| SANS London March 2019 | London, United Kingdom | Mar 11, 2019 - Mar 16, 2019 | Live Event |
| SANS Munich March 2019 | Munich, Germany | Mar 18, 2019 - Mar 23, 2019 | Live Event |
| SANS 2019 | Orlando, FL | Apr 01, 2019 - Apr 08, 2019 | Live Event |
| SANS OnDemand | Online | Anytime | Self Paced |
| SANS SelfStudy | Books & MP3s Only | Anytime | Self Paced |